
ThermTec







CE UK ROHS Z







Table of Contents

About This Manual	5	5.4.2 Objective lens focusing	17
Regulatory Information	6	5.4.3 Digital Adjustment of Focus Distance	18
1. Introduction	7	5.4.4 FOV Selection and Shifting	19
1.1 Device Description	7	5.5 Shortcut Menu	19
1.2 Features	8	5.6 Entry of the Main Menu	22
1.3 Detection Range	9	5.7 Image Settings	23
1.4 Cautions	9	5.8 Settings	24
2. Packing List	10	5.9 Zeroing	30
3. Specifications	11	5.9.1 Manual Zeroing	31
4. Appearance	12	5.9.2 Ballistic calculator	33
4.1 Dimensions	12	5.10 Reticles	34
4.2 Buttons and Controls	14	5.11 Blind Pixel	36
5. Operation Guide	16	6. Network Connection	36
5.1 Battery Installation	16	6.1 App Download	36
5.2 Power-on the Device	16	6.2 Connection via Hotspot	37
5.3 Main Menu	16	7. Firmware Upgrade	37
5.4 Lens Adjustment	17	7.1 Upgrade via PC	37
5.4.1 Diopter Adjustment	17	7.2 Upgrade via Mobile Application	38
		l .	

About This Manual

COPYRIGHT © 2025 ThermTec Technology Co., Ltd. ALL RIGHTS RESERVED.

Any and all information, including, among others, wordings, pictures, graphs are the properties of Therm- Tec Technology Co., Ltd. or its subsidiaries (hereinafter referred to as "ThermTec"). This user manual (hereinafter referred to be "the Manual") cannot be reproduced, changed, translated, or distributed, partially or wholly, by any means, without the prior written permission of ThermTec. Unless otherwise stipulated, ThermTec does not make any warranties, guarantees or representations, express or implied, regarding to the Manual.

This Manual is applicable to Thermal Imaging Scope.

The Manual includes instructions for using and managing the product. Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Manual is subject to change, without notice, due to firmware updates or other reasons.

Regulatory Information

These clauses apply only to the products bearing the corresponding mark or information.



This product and, if applicable, the supplied accessories are marked with "CE" and comply therefore with the applicable harmonized European standards listed under the Radio Equipment Directive 2014/53/EU, the EMC Directive 2014/30/EU, the ROHS Directive 2011/65/EU.

UK

This product and - if applicable - the supplied accessories too are marked with "UKCA" and comply therefore with the following directives: Radio Equipment Regulations 2017, Electromagnetic Compatibility Regulations 2016, Electrical Equipment (Safety) Regulations 2016, the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012.



This product and - if applicable - the supplied accessories too are marked with "RoHS" and comply therefore the requirements of Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment ("RoHS recast" or "RoHS 2").



2012/19/EU (WEEE directive): Products marked with this symbol cannot be disposed of as unsorted municipal waste in the European Union. For proper recycling, return this product to your local supplier upon the purchase of equiva- lent new equipment, or dispose of it at designated collection points.

For more information see: www.recyclethis.info.



Directive 2006/66/EC and its amendment 2013/56/EU (Battery Directive): This product contains a battery that cannot be disposed of as unsorted municipal waste in the European Union. See the product documentation for specific battery information. The battery is marked with this symbol, which may include lettering to indicate cadmium (Cd), lead (Pb), or mercury (Hg). For proper recycling, return the battery to your supplier or to a designated collection point. For more information see: www.recyclethis.info.

1 Introduction

1.1 Device Description

ORYX-L Series thermal imaging scope is equipped with 15mK high-sensitivity detector with the resolution up to 640×512 , which features a inbuilt LRF module in the lens for perfect using for laser ranging up to $1200 \, \text{m}$, a $2560 \times 2560 \, \text{high-definition}$ OLED display, providing a clear view over long distances in harsh environments, poor visibility, or even total darkness. Oryx-L series allows users to see through obstacles that hinder the detected target, and accurately measure the actual distance to the target. In addition, it's easy to connect to our mobile application to achieve live view and share your findings.

Oryx-L Series thermal imaging scope facilitates applications in a wide range of fields, including observation, night hunting, rescue operations, hiking, traveling, etc.



1.2 Features

Ballistic calculator

Due to our advanced algorithms, POA suggestions will be provided to help users overcome the impact of bullet drop during long-distance shooting, further improving the shooting accuracy.

Great visual and high definition experience

A larger OLED viewing screen with the 1.03 inch, in addition, the resolution up to 2560×2560 is to excellently define how the visual experience should be, and as this large OLED that hunter will never feel eyestrain in all days.

Picture-in-Picture Function

In picture-in-picture mode, it displays a magnified image at the top-center of the overall field of view with aligned crosshairs and ½ mil FFP reticle when zooming on an object of interest.

Ultra sensitive thermal image sight

With the constant technology improvement from the ThermTec, Oryx-L sight is an integrated ultra sensitive VOx sensor, NETD less than 15mK, which can allow Oryx-L to capture more defined image quality and the best target detail in any different surroundings.

Recoil Activated Video (RAV)

With RAV, it records videos of before, during and after your shot, and captures the footage of your hunting moments.

Inbuilt LRF module

There is an innovative integrated design for the laser ranging module to be inbuilt the lens, for more convenient carry without the annoying obstruction anywhere, Oryx-L not only remains the traditional day scope shape but it makes laser module ability to up to 1200m.

Upgraded appearance and structure


Oryx-L is the high end sight, which is completely approached for traditional day sight with the classical style design, battery slot with horizontal installation, focusing knob is designed at the middle of tube for user-friendly operation.

Thermtec Auto Sight System

TASS function always ensures a perfectly observational experience from high digital zoom back to the minimum zoom automatically when shooting moment, and TASS requires RAV enabled at first.

1.3 Detection Range

The illustration below shows the comparative range performance of the device with different lens configurations. The data is based on detecting a car of 4m, a man of 1.8m tall, a wild boar of 0.7m tall, a wolf of 0.5m tall, a rabbit of 0.3m tall and a bird of 0.2m tall.



1.4 Cautions



CAUTION



Avoid hard objects.



Do not aim the lens directly at the sun or high-temperature light sources.



Do not use the device in extremely cold or hot environment.



Charge the battery once every three months when it is not used for a long period of time.



Do not irradiate the laser indicator of the device to human eyes.



Never disassemble or modify the device on your own.

Packing List – Oryx-L




Specifications Oryx-L Series

Model	Oryx-L 635 Microbolometer	Oryx-L 650	
Type	Unco		
Resolution	640>	<512	
Pixel pitch	12լ		
NETD	≤15		
Spectral range	8-14		
Frame rate	501	Hz	
Detection Range	1800m	2600m	
	Optics		
Objective lens	35mm, F0.8	50mm, F0.9	
Field of view	12.5°×10°	8.8°×7.0°	
m@100m	21.9×17.6	15.4×12.3	
Magnification	2.6X	3.7X	
Digital zoom	1.0-4.0X zoom		
Eye relief	60mm		
Exit pupil	6mm		
Diopter ±5D			
	Aiming Reticle		
Reticle	8		
Reticle color	5		
	Display		
Туре	AMOLED		
Resolution	2560×2560		
1 2		inch	
Color palette	6		


	Functio	1	
Max. recoil power on r		6000J	
Mounting brackets	Stan	dard 30mm rings	
RAV			Yes
Audio Record	ling		Yes
Manual zero	ing		Yes
Zeroing prof	iles		6
Freeze Zero	ng		Yes
Picture-in-pic	ture		Yes
Laser rangi	ng		1200m
Ballistic Calcu	lator		Yes
Image calibra	tion	1	Manual/Auto
	Video Reco	rder	
Photo/video playback		Yes, 128	0×1024
Inbuilt memory		64	GB
	Interfac	е	
Type C	Da	ita transfe	er, charging
Hotspot	Yes		
	Battery		
Battery type	Replaceable, 1*21700, 6000mAh		
Battery life	8h		
	Environm	ent	
Operating temperature		-20- +	+50°C
IP rating		IP67	
Weight, g 105			1100±5
Size, mm	385(L)×93(W)>	<77(H)±5	397(L)×87(W)×74(H)
	Accessori		
External cable		USB da	ta cable

Appearance 4.1 Dimensions



Oryx-L 635 reference only.

Appearance 4.1 Dimensions




Oryx-L 650 reference only.

4.2 Buttons and Controls

	Before the entry of main menu					
Icon	Annotation	Rotation	Short Press	Long Press	Double Press	
Q	Power button	1	Entry Standby Mode	ON/OFF	Image calibration	
	Laser Rangefinder	1	LRF Function On/OFF	Outline mode	Color Palettes Shift	
Ō	Capture/Record	1	Take photos	Take videos	PIP on/off	
	Rotating knob A	Brightness/ sharpness	Shortcut menu	Entry/Exit shortcut or main menu	1	
)	Rotating knob B	Digital zoom	1	/	1	

	After the Entry of Main Menu				
	Rotating Knob A	Rotation	Short Press	Long Press	Double Press
		Switching for selected item	ок	Exit	1

4.2 Buttons and Controls



NO.	Comments
1	Rotary knob for menu
2	Focusing knob
3	Digital zoom knob
4	MIC port
5	Diopter adjustment
6	Rubber eyeshade
7	Laser ranging module
8	Lens cap
9	Battery slot with 21700
10	"OK" button
11	USB interface
12	Photo/Record button
13	Laser rangefinder button
14	Power on/off button

5 Operation Guide

5.1 Battery Installation

Oryx-L series with one battery can be installed in the lateral battery holder, and there is negative polarity of battery that must be towards outside. Please refer to the following figure for the installation of the replaceable battery.



Note:

Oryx-L can be charged by the Type-C immediately.

5.2 Power-on the Device



Power button

Users could long press the power button to power on/off the device.

In addition, it is available to short press the power button to enter device's standby mode to keep the screen locked.

5.3 Main Menu

Long press the middle of the rotary knob-A (NO.1 above 4.2) to enter the main menu. After the entry of Main Menu, short press the button for the operation of "Confirmation", and long press the button for the operation of "Exit". Rotating the knob is the operation of moving the cursor.



Main Menu

5.4 Lens Adjustment

5.4.1Diopter Adjustment

Slowly rotate the diopter adjustment ring to adjust the position of diopter level to optimize the image sharpness on the OLED display.



5.4.2 Objective Lens Focusing

Objective lens rotating knob is on the right above of installed battery holder, please manually adjust the focusing knob when necessary.

Aim at the target and rotate the focusing knob until the image of object is clear.



Both clockwise and anticlockwise rotation of the focusing knob are allowed.





Focus on the Selected Target

Focusing Finished(reference only)

5.4.3 Digital Adjustment of Focus Distance

On the main screen, rotate the knob-B (NO.3 above4.2) to digitally adjust the focus distance, and digital zoom icon shown as below.



Clockwise rotation the knob-B for zooming in (up to 4x) digital image, and vise versa.



5.4.4 Image mode

Here includes two kinds of image modes which are respectively Forest and Rainy could be selected by user.



5.5 Shortcut Menu 5.5.1 Taking photos/videos



Take photos - short press the Capture/Record button; Take videos - long press the Capture/Record button.

5.5.2 Laser Ranging



Laser Rangefinder - short press the Laser Range- finder button to turn on/off the laser rangefinder.

5.5.3 Pseudo Color Switch



Pseudo color switch - double press the button to switch the pseudo colors.

5.5.4 Target Outline Mode





Outline mode(picture reference only)

Target Outline Mode - long press the Rangefinder button to turn on/off the Outline Mode of the target.

5.5.5 Standby Mode



Standby Mode - short press the Power button

5.5.6 Contrast Adjustment (shortcut menu)





- 1.Short press the middle of the rotary knob-A (NO.1 above4.2) to enter the Contrast screen in the observing mode.
- 2. Enter the screen of Contrast Adjustment by clicking the shortcut button of knob-A. In this case, brief press knob-A (NO.1) for switching other options between brightness and contrast.
- 3. Long press rotary knob-A (NO.1 above4.2) for exiting current shortcut.



3. Rotate the knob-A (NO.1 above4.2) to increase or decrease the contrast level.

Note: Successively press knob-A (NO.1 above4.2) for exit shortcut menu.

5.5.7 Brightness Adjustment (shortcut menu)



- 1.Shortcut Button: short press the rotary knob-A (NO.1above4.2) to enter the Brightness screen.
 2.Enter the screen of Brightness Adjustment by
- clicking the shortcut button.
- 3.Rotate the knob to increase or decrease the brightness degree.

5.6 Entry of the Main Menu

Long press the middle of the rotary knob-A (NO.1 above4.2) to enter the main menu. After the entry of Main Menu, short press the button for the operation of "Confirmation", and long press the button for the operation of "Exit". Rotating the knob-A (NO.1

above 4.2) is the operation of moving the cursor.



Color Plate

Noted: Above picture is just for reference, please find it based on practice.

Color Palettes














Golden

Violet

5.7 Image Settings

There are four sub-menus for image settings, which are "Brightness", "Contrast", "Sharpness" and "Denoise". Long press the rotary knob-A (NO.1 above4.2) to enter these sub-menus under the image menu, then rotate the knob-A (NO.1 above4.2) to adjust the related image parameters.


	Image Setting Sub-menus				
		Adjust the image brightness to make the image brighter. The recommended value is 5.			
Brightness	1-10				
		Adjust the image contrast to make the object more prominent in the image. The recommended value is 5.			
Contrast	1-10	A AMERICAN TO			




5.8 Settings


Short press the rotary knob-A (NO.1 above4.2) to enter the sub-menus of Settings, and rotate the knob-A (NO.1 above4.2) to adjust the parameters accordingly.


	Sub-menus of Settings			
Zeroing profiles A-F		There are five zeroing profiles from "A-F" in the file folder, which contain the distance, type of bullet, and the coordinates of the crosshairs after zeroing.		
Picture -in- Picture		The image is enlarged by 2x as centered by the crosshairs. Picture-in-picture occupies 10% of the entire image.		








Setting	RAV	After turning on the RAV, the scope will record videos before, during and after your shot. The threshold can be modified manually for different weapons and ammunitions.
	Blind Pixel	User can operate blind spot replaced function when pups up blindness.

















5.9 Zeroing

Enter the Main Menu, rotate the knob-A (NO.1 above4.2) and short press the rotary knob-A (NO.1 above4.2) to enter the sub-menu of Zeroing.

- ①Rotation and short pressing rotary knob-A (NO.1 above4.2) for selecting Zeroing menu.
- ② Short press the rotary knob-A (NO.1 above4.2) one more time. Rotate and short press the knob-A (NO.1 above4.2) to select and confirm the zeroing distance (e.g. 25m or 35m).
- ③After that, move the cursor and short press the rotary knob-A (NO.1 above4.2) to enter the Gun Type screen.

Short press the rotary knob-A (NO.1 above4.2) to add the Gun Type (customizable; press "Enter" on keyboard to add the Gun Type). Long press the rotary knob-A (NO.1 above4.2) to return to the previous screen.



5.9 1



5.9 ②



Notes:

It is recommended to do Zeroing at a temperature that close to the scope's operating temperature.

5.9.1 Manual Zeroing

- ① Rotate the knob-A (NO.1 above4.2) anticlockwise, and move the cursor to finding Manual zeroing menu.
- ② Short press the rotary knob-A (NO.1 above4.2) to enter the Manual Zeroing screen, confirm the zeroing distance, and short press "OK" to enter the next step.
- ③ After your first shooting is completed, align the reticle with point of aiming, and rotate the knob-A (NO.1 above4.2) to turn on the Freeze function. After that, A screenshot will be taken. (The Freeze function allows you to freely move or manipulate the scope without losing reticle placement on the point of aim during adjustments.)
- Rotate the knob-A (NO.1 above4.2) to change the magnification if necessary, which helps to improve the accuracy of zeroing.
- S Adjust the coordinates (X, Y) of the reticle by rotating the knob-A (NO.1 above4.2), and move the reticle from the original position to the bullet hole position manually.

After pressing the Save button, the values of X and Y will change according to the magnification.

e.g. X: -20mm, Y: -20mm (1x); X: -10mm, Y: -10mm (2x); X: -4mm, Y: -4mm (5x).

Short press the rotary knob-A (NO.1 above4.2) to save the zeroing data to any profile (A, B, C, D, E, F). Finally, long press the rotary knob-A (NO.1 above4.2) to exit.


(6) The entire zeroing data can be manually saved in a profile of six shown as below.



5.9.1 ①



5.9.1 ②





5.9.1 (5)

Notice: About the steps of zeroing with number 3.4.5 for reference only.



5.9.1 @

Notes:

- 1.The changes will always be saved based on your last calibration, e.g. the first saved coordinate is (-20mm, 35mm) in Profile A and you may want a tiny change like (-5mm,5mm), so the device finally displays (-25mm, 40mm). If you put the same weapon name and the same distance, it takes data from the previous profile.
- 2.Please get back to the main menu to choose other profiles if you would like to save new data for another gun. It is suggested to save the subsequent changes where you first time saved for the same gun. It is not recommended to save a change in Profile A firstly then another change saved in Profile B or C.

5.9.2 Ballistic Calculator

- ① Rotate the rotary knob A to move the cursor to the menu of ballistic calculator, then short press the knob to the third-level menu.
- ② Rotate the knob A (NO.1 above4.2) again to move the cursor to Setting, and short press the knob-A (NO.1 above4.2). There you can configure the parameters as your need, including Scope Ht, Wind Velocity, Bullet Wt, Muzzle Velocity, BC, Wind Direction, Temperature, and Pressure.
- ③ When any parameter is selected for modification, the cursor would automatically move to the keyboard section at the right side of the screen.
- Click Enter and the cursor will return to left side
 of the screen.
- (§) Move the cursor and click the Back section to return to the previous screen.





5.9.2 1

5.9.2 (2)

Auxiliary line of trajectory


- Users first need to move the cursor to "ON" to turn on the ballistic calculator function.
- After activation, here are totally icon will appear in the center of the screen. When the icon doesn't match the coordinates after zeroing, users should aim it at the certain target, then fill in the actual parameters into the "Settine" interface.



Attention:

- 1.The indicating cursor types of ballistic calculator have four different styles, user can get it in the mode menu.
- 2.Ballistic calculator function needs to be carried out after zeroing, otherwise there is no practical significance.
- 3. When ballistic calculator is turned on, the device will automatically switch to single ranging mode.

5.10 Reticles



Rotate the knob to select the location of reticles. There are 2 options: "Move" and "Center". Move: Under 1x magnification, the

location of the reticle keeps the same as the zeroing coordinates. The reticle will be returned to the center of the screen when image is zooming in.

Center: When zeroing is finished, the screen will be slightly enlarged based on the zeroing coordinates. The reticle will be returned to the center of the screen. When zooming in or out, the reticle will always enlarge at the center of the screen.

Loca-Move/ tion Center (O)



FFP: The reticle changes as zooming in; SEP: The reticle doesn't

change as the zooming in.

Mode \otimes

FFP/SFP



Reticle polarity reverse helps find and lock small target. (Only for Black & White Reverse)

Reversal ON/OFF

Notice: Totally three icons (crosshairs under the black & white.laser icon, ballistic calculation icon) can be automatical switching the color while enabling Reversal function.

5.11 Blind Pixel

- ①Short press the rotary knob-A (NO.1 above4.2) to enter the sub-menu of Blind Pixel, figure shown as below.
- 2) There are three options (cancel, save and replace). Replace: the blind pixel on the screen can be replaced. When finished, long press the middle of the rotary knob to exit, figure shown as below.







Network Connection

6.1 App Download

Users could download our mobile APP named "ThermTEC Outdoor" in Apple Store and Google Play, or through the OR code shown on the packing box or user manual.









6.2 Connect via Hotspot

1 Turn on the device's Hotspot.



- ② Connect your mobile phone to device's Hotspot via WLAN. To input default password of device (1 to 8).
- ③ After successful connection, you can control devices via APP.

Notice: All devices are same password (1 to 8) when out of factory , which means, user can't set password type by manual operation.



7.1 Upgrade via PC

①Users could download corresponding upgrading package from our website. After that, connect your device to PC via Type-C cable, and copy the firmware to device's file folder.



7.1 ①

- ② Enter the Settings menu, and select Update, then there will be a pop-up window prompting "Program Updating".
- ③ When the update is completed, the device will automatically restart.



7.1 ②



7.1 ③

7.2 Upgrade via Mobile Application

Oryx-L series thermal imaging sight could be interconnected with "ThermTec Outdoor" APP, which allows users to transfer files from device to smartphone or tablet via Hotspot, easily achieving remote control.

Users could refer to the following steps to realize device firmware upgrade via our mobile APP:

- ① Open the ThermTec Outdoor APP.
- ② Turn on the Hotspot of the device, and connect your mobile phone to device' Hotspot.
- ③ Select Update on the menu options.
- 4 It will take a continuous period of time for downloading and upgrading if a new version of firmware is detected, so please be patient.
- § Once the upgrade is complete, the device will reboot automatically.









ThermTec Technology Co., Ltd.

Email: info@thermeyetec.com Web: www.thermeyetec.com